

Doylestown Health Gastroenterology COLONOSCOPY INSTRUCTIONS

Procedure Scheduling 215.345.6050 ext. #152 Open Access Scheduling 215.345.6050 ext. #103

LOCATION AND TIME

- You will receive a telephone call by 4:00 p.m., from the GI Suite, on the day prior to your procedure date, for your arrival time. Please be aware your arrival time may be subject to change.
- Report directly to the GI Suite, located in The Pavilion, South Entrance, Suite 102.
- Please plan to be in the GI Suite for about two (2) hours.
- You may not drive after your procedure. Please arrange for someone to drive you home.

MEDICATIONS:

- Be sure you have discussed any blood thinning medication(s) (Plavix/Clopidogrel, Coumadin/Warfarin, Pradaxa, Effient, Eliquis, Xarelto, etc.) with your doctor and understand when to stop the medication(s) prior to your procedure.
- It is okay to take 81mg aspirin, if prescribed by a physician.
- **Diabetic Patients:** Hold your Metformin on the prep day and day of procedure. It is okay to take the medication with your first post-procedure meal. All other oral diabetic medications, consult your prescribing physician.
- Insulin-dependent Diabetic Patients: You should consult your prescribing physician to adjust dose(s) prior to your procedure.

MEDICATIONS TO HOLD:

14 DAYS PRIOR TO PROCEDURE:

- If your insurance company requires a referral, please contact your primary care physician
- Be sure you have your prep kit. There may be additional over-the-counter tablets you will need for your bowel prep. IF NEEDED, you may purchase the tablets from our Front Desk.

7 DAYS PRIOR TO PROCEDURE:

- If you have constipation, start taking 1 capful (17g) every night, of tasteless Miralax/polyethylene glycol powder with 8 oz.. of any liquid
- **HOLD** the following supplements: Iron, Multivitamin + Iron, Vitamin E and ALL Fish Oil(s).
- **HOLD NSAIDs** Ibuprofen/Motrin/Advil/Aleve, etc. It is okay to take Tylenol/Acetaminophen.

5 DAYS PRIOR TO PROCEDURE:

- Hydrate well with water
- Begin a low fiber/low roughage/residue diet (SEE ATTACHMENT A)
- OKAY TO EAT: peeled and well-cooked vegetables like potatoes without skins, cooked carrots ripe, peeled fruits (no skin or seeds) like bananas, apples, cantaloupe, canned or cooked fruits (without skin or seeds), bread without visible grain, rice, lean meats, dairy
- AVOID RAW fruits and vegetables
- **AVOID** corn, nuts, seeds, quinoa, whole grains/breads with grain/seeds
- AVOID bran, flax seed, and chia seeds
- You may take powder based fiber supplements like Metamucil, Benefiber, or Citrucel

1 DAY BEFORE PROCEDURE/DAY OF PREP:

- Clear Liquid Diet Only All Day (SEE ATTACHMENT B) NO SOLID FOODS!
- Follow instructions on the attached prep sheet. Disregard the prep kit packaging instructions (if applicable).

Please note the following:

Cancellation and reschedule Policy:

To maintain reasonable wait times for all patients if you reschedule, cancel or no show to more than three (3) GI procedures and/or office visits within one year with our office (Doylestown Health Gastroenterology), we reserve the right to discharge you from the practice.

Any cancellation or rescheduling that occurs with less than 5 (five) days prior to procedure date will result in a \$150 fee.

If your insurance changes prior to your procedure you MUST call the office. If you do not call in advance your procedure may be rescheduled.

Please bring the "Patient Medication and Allergy List" (see attached form) with you; and have it filled out completely.

Please DO NOT bring valuables such as wallets, handbags, etc., into the GI Suite/SDS on the day of your procedure. We DO NOT have lockers. You may bring your cell phone.

If your insurance policy requires a referral, please call your Primary Care Physician to have them issue one to Doylestown Health Gastroenterology – NPI#1760999635. Our Central Billing office will submit the claim to your insurance company. Due to various insurance companies and policies, we are unable to tell you what your insurance company will pay for your procedure(s). If you need an estimate of costs, please telephone the Doylestown Hospital Priceline on 215.918.5515.

ATTACHMENT A

LOW-RESIDUE/FIBER DIET FOR COLONOSCOPY PREPARATION

This list is for use for the five days prior to your procedure, eat only low-residue/fiber foods listed below. (*See the Clear Liquids Sheet – **ATTACHMENT B** – for the day before and day of your Colonoscopy)

TYPE OF FOOD OR DRINK	YES – OKAY TO EAT	NO – MUST AVOID
Milk and Dairy	 Milk Ice cream Smooth yogurt Sour Cream Cheese and cottage cheese Eggs 	Yogurt or Ice Cream mixed with nuts, seeds, granola fruit with skin or seeds (such as berries)
Breads and Grains	 Breads and grains made with refined white flour (including rolls, muffins, bagels, pasta) White Rice Plain Crackers (saltines) Low Fiber Cereal (including puffed rice, cream of wheat corn flakes) 	 Brown rice or wild rice Whole grain Breads, rolls, pasta or crackers Whole grain or high fiber cereal (including granola, raisin bran, oatmeal) Any breads or cereals with dried fruit, nuts or seeds
Meat	 Chicken Turkey Lamb Lean pork Veal Fish and seafood Tofu 	Tough meat with gristle
Fruits	 Fruit Juice (without pulp) Applesauce Ripe cantaloupe and honeydew Ripe and peeled apricots, peaches, apples, bananas, papaya Canned or cooked fruit without skins or seeds 	 RAW fruit with seeds, skin or membranes (including oranges, berries, pineapple and watermelon) Cooked or canned fruit with skin or seeds Raisins or other dried fruit
Vegetables	 Canned or cooked vegetables without skin or peel (peeled carrots, mushrooms, turnips, aspar- agus tips) Potatoes without skin Cucumbers without seeds and peel 	 Corn Tomatoes (and unstrained tomato sauce) Cooked cabbage or Brussel sprouts Green peas Summer or winter squash Lima beans Onions Broccoli Cauliflower
Miscellaneous	 Peanut butter or almond butter must be smooth Butter/margarine Vegetable or other oils Broth, bone broth, bouillon or Milk or cream based soups (soups without vegetables with skin or peels) 	• Chili • Lentil/dried bean/pea/corn soups • ALL legumes

ATTACHMENT B

CLEAR LIQUID DIET FOR COLONOSCOPY PREPARATION - NO ALCOHOLIC BEVERAGES!

One day before and the day of your colonoscopy, you will be on a clear liquid diet. The chart below, shows examples of liquids you can include and what to avoid.

YES – OKAY TO EAT	NO – MUST AVOID
Water	Alcoholic beverages
Tea or black coffee WITHOUT milk creamer or non-dairy creamer	MilkSmoothies
Flavored water, WITHOUT red or purple dye	CreamOrange juice
Clear, light-colored juices such as apple, white grape, lemonade (no pulp), and white cranberry	 Grapefruit juice Tomato Juice Soup (other than clear broth)
Clear broth or bone broth such as beef, chicken or vegetable	 Cooked cereal Any other solid food not listed in the YES section
Carbonated drinks	
Sports drinks such as Gatorade, Propel or other electrolyte (not red or purple)	
Popsicles WITHOUT fruit or cream (not red or purple)	
Jell-O or other gelatin WITHOUT fruit or toppings (not red or purple)	
Boost Breeze Juice Drink (not red or purple)	
Ensure Clear juice drink (not red or purple)	

COLONOSCOPY WITH SuFLAVE PREP

DO NOT TAKE SOLID FOOD OR MILK PRODUCTS ON THE DAY OF YOUR PREP (DAY OF PREP IS THE DAY BEFORE YOUR PROCEDURE). CLEAR LIQUID DIET ONLY! (SEE **ATTACHMENT B** FOR PERMITTED LIQUIDS)

REMINDER: In addition to the SuFLAVE Kit, you will need to purchase following over-the-counter tablets:

• FOUR (4) 80mg tablets of GAS-X/simethicone tablets or chewables (multiple dosages are available – any combination totaling between 125mg – 250mg is okay)

FOLLOW THE STEPS BELOW – DISREGARD SuFLAVE PREP PACKAGING INSTRUCTIONS:

1. PREP DAY (DAY BEFORE PROCEDURE: CLEAR LIQUID DIET ONLY (NO SOLID FOODS)! SEE ATTACHMENT B)

• Around 3pm:

- Use the containers in your SuFLAVE kit and mix one of the flavor enhancing packets with 32 oz. of water in each container by shaking or stirring with a spoon until the powder is completely dissolved. Go ahead and mix BOTH 32 oz. bottles. Place both bottles in the refrigerator.
- At 5pm:
 - Take out one of the now chilled 32 oz. containers.
 - Take 100-160 mg of Gas-X/simethicone tablets/chewables with the first sip of your prep.
 - Drink 8 oz. every 15 minutes until finished.
 - Refill the same container with at least 16 oz. of water and drink. You should finish the 16 oz. of water within 45min.

2. ON THE MORNING OF PROCEDURE (5 HOURS PRIOR TO ARRIVAL):

- **DOSE 2/5hours prior to arrival:** Take the already mixed 32 oz.. of prep out of the refrigerator and take two GAS-X/simethicone tablets/chewables with the first few sips of your prep container.
- Drink 8 oz. of the mixture every 15 minutes until done.
- Refill container with at least 16 oz. of water and drink. You must be finished with all clear liquids 3 hours prior to your arrival time.
- It is okay to take your blood pressure medication(s) or any other necessary medication(s) you have discussed with your physician, with a small sip of water, at least 3 hours prior to your arrival time.

NOTHING BY MOUTH, THIS INCLUDES ALL LIQUIDS, 3 HOURS PRIOR TO YOUR ARRIVAL TIME.

Preparation Tips:

The bowel preparation will cause diarrhea, so please plan accordingly. It is important to stay hydrated. You should be drinking clear liquids throughout the day to prevent dehydration. It's okay to consume clear liquids during the prep portion. Sometimes eating jello/water ice during the prep portion is helpful to prevent nausea.

It is common to experience abdominal discomfort until the stool is flushed from your colon. Rarely, people may experience nausea or vomiting with the prep. If this occurs, give yourself a 30 to 60 minute break, then slowly, continue to drink the prep solution. (Putting the prep over ice or drinking through a straw may help).

Anal skin irritation or hemorrhoid inflammation may occur and can be treated with over the counter remedies including hydrocortisone creams, baby wipes or Tucks pads. Do not use products containing alcohol.

Expect your stool output to be a clear liquid yellow color. If you have brown output, please contact the GI Suite at 215.345.2211. A brown output generally indicates you may not be clear enough for your procedure

BARCODE		PATIENT	LABEL
PATIENT MEDICATION LIST			
Do you have an allergy, itching or local product such as balloons, condoms, or		🗅 Yes	🗅 No
Do you have shortness of breath or wheezing after blowing up balloons, after a dental visit, or eating bananas?		lloons, 🗆 Yes	🗖 No
ALLERGY SCREENING: (medication, f	food, environment, and oth	er)	

- □ No known allergies
- □ Yes, list below

ТҮРЕ	REACTION	

MEDICATIONS: PLEASE LIST MEDICATIONS ON THE BACK OF THE FORM

A part of your daily medication routine, are you taking anti-inflammatories such as aspirin, Advil[®], Aleve[®], or Motrin[®]?

□ Yes: date of last dose: _____ □ No

As part of your daily medication routine, are you taking blood thinners?

□ Yes: date of last dose: _____ □ No

□ Patient unable to provide medication information.

PLEASE LIST ALL CURRENT PRESCRIPTION MEDICATIONS, THEN LIST ALL OVER-THE-COUNTER MEDICATIONS, VITAMINS, HERBAL SUPPLEMENTS, AROMATHERAPY, HOMEOPATHY, AND FOOD SUPPLEMENTS.

MEDICATION/SUPPLEMENT	DOSE	HOW OFTEN DO YOU TAKE THIS MEDICATION?	DATE AND/OR TIME YOU LAST TOOK THIS MEDICATION (to be completed day of procedure)

THE MEDICATION HISTORY LISTED IDENTIFIES THE BEST LIST AVAILABLE FROM THE PATIENT/PATIENT SOURCE.

Patient signature or person completing the list: _____

Date:	Time:	
Reviewed by:	Date:	_Time: